

Table 9. Occupancy Rates by County, 1982 - 2000

| | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
|-------------------------|------|------|------|------|------|-------|------|------|------|-------|-------|-------|-------|-------|------|------|------|------|------|
| LONG TERM CARE | | | | | | | | | | | | | | | | | | | |
| O`ahu | 96.0 | 95.4 | 97.3 | 97.2 | 90.5 | 93.7 | 91.4 | 95.0 | 92.9 | 91.8 | 94.6 | 93.9 | 95.6 | 91.4 | 94.5 | 92.6 | 93.3 | 92.7 | 90.1 |
| Hawai`i | 82.9 | 94.6 | 95.2 | 95.3 | 93.8 | 96.7 | 92.3 | 95.1 | 96.1 | 98.8 | 104.3 | 106.7 | 108.8 | 106.8 | 97.7 | 95.1 | 94.0 | 95.2 | 92.1 |
| Kaua`i | 99.8 | 94.5 | 96.3 | 91.1 | 83.0 | 92.1 | 86.9 | 94.0 | 90.2 | 94.9 | 96.1 | 94.6 | 101.0 | 96.9 | 97.7 | 96.3 | 96.0 | 94.1 | 77.1 |
| Tri-Isle | 94.9 | 96.8 | 92.6 | 97.0 | 97.3 | 95.6 | 95.3 | 82.9 | 92.5 | 95.6 | 95.7 | 95.7 | 94.4 | 95.4 | 73.4 | 76.7 | 90.1 | 90.8 | 94.2 |
| Maui | 95.4 | 97.5 | 95.0 | 97.0 | 97.6 | 95.7 | 97.0 | 83.1 | 93.2 | 96.8 | 97.7 | 97.4 | 97.3 | 97.3 | 72.9 | 76.8 | 91.4 | 92.1 | 96.9 |
| Moloka`i | 92.5 | 97.6 | 55.8 | 96.8 | 89.3 | 90.1 | 70.1 | 77.1 | 87.4 | 87.7 | 77.1 | 72.5 | 61.1 | 66.8 | 76.2 | 83.3 | 87.8 | 70.6 | 62.4 |
| Lana`i | 77.5 | 66.6 | 95.1 | 84.9 | --- | 100.0 | --- | 84.1 | 77.2 | 65.0 | 62.7 | 83.5 | 71.0 | 94.0 | 95.1 | 58.1 | 60.5 | 76.6 | 57.0 |
| TOTAL ACUTE CARE | | | | | | | | | | | | | | | | | | | |
| O`ahu | 79.1 | 76.5 | 70.8 | 67.7 | 67.3 | 74.4 | 75.0 | 74.9 | 72.0 | 70.0 | 72.7 | 71.9 | 71.6 | 69.4 | 64.7 | 65.7 | 62.4 | 63.7 | 67.9 |
| Hawai`i | 49.5 | 48.2 | 48.3 | 48.3 | 53.8 | 60.7 | 67.8 | 65.8 | 70.2 | 71.2 | 57.9 | 59.0 | 58.2 | 61.4 | 52.9 | 56.4 | 58.7 | 54.0 | 63.1 |
| Kaua`i | 57.4 | 49.5 | 43.8 | 50.0 | 44.4 | 51.5 | 53.4 | 63.5 | 52.9 | 47.5 | 55.4 | 56.9 | 51.4 | 44.5 | 45.8 | 47.0 | 51.9 | 47.8 | 46.7 |
| Tri-Isle | 59.1 | 62.3 | 58.2 | 57.8 | 61.5 | 64.6 | 69.8 | 73.3 | 76.3 | 82.9 | 81.0 | 88.9 | 90.3 | 78.3 | 82.6 | 71.8 | 65.8 | 71.2 | 71.0 |
| Maui | 65.5 | 67.3 | 60.4 | 62.6 | 65.4 | 70.1 | 72.6 | 80.5 | 82.2 | 90.9 | 88.2 | 96.8 | 98.3 | 83.9 | 87.6 | 76.1 | 69.1 | 74.9 | 73.4 |
| Moloka`i | 19.3 | 34.0 | 41.4 | 17.3 | 25.0 | 15.8 | 18.4 | 10.6 | 13.7 | 14.6 | 7.5 | 10.3 | 13.5 | 8.3 | 9.6 | 9.9 | 14.1 | 12.9 | 11.5 |
| Lana`i | 5.0 | 13.3 | 12.7 | 12.9 | --- | 12.9 | --- | 16.7 | 11.1 | 8.3 | 2.7 | 0.8 | 2.4 | 1.6 | 1.1 | 1.0 | 6.2 | 3.0 | 0.0 |
| MEDICAL-SURGICAL | | | | | | | | | | | | | | | | | | | |
| O`ahu | 83.0 | 77.2 | 69.8 | 68.2 | 68.8 | 73.3 | 73.1 | 74.8 | 69.5 | 68.1 | 71.1 | 70.9 | 71.4 | 70.8 | 63.9 | 65.6 | 61.2 | 63.3 | 69.1 |
| Hawai`i | 63.9 | 60.8 | 62.4 | 62.3 | 65.1 | 74.6 | 80.3 | 80.2 | 87.9 | 89.1 | 65.1 | 64.5 | 62.6 | 68.6 | 57.8 | 60.6 | 64.6 | 60.2 | 71.9 |
| Kaua`i | 64.1 | 54.2 | 45.8 | 54.5 | 47.6 | 56.1 | 55.2 | 68.8 | 54.9 | 50.7 | 63.4 | 64.7 | 57.5 | 47.2 | 50.2 | 51.3 | 56.8 | 52.2 | 47.9 |
| Tri-Isle | 76.8 | 81.8 | 65.2 | 65.0 | 67.7 | 72.4 | 78.9 | 85.5 | 88.3 | 98.1 | 94.6 | 104.5 | 108.7 | 89.4 | 91.0 | 76.4 | 76.2 | 82.0 | 80.9 |
| Maui | 82.5 | 86.0 | 66.1 | 70.5 | 72.3 | 77.7 | 80.7 | 92.1 | 93.4 | 106.2 | 101.2 | 111.8 | 116.2 | 93.4 | 95.7 | 80.3 | 79.6 | 86.0 | 82.7 |
| Moloka`i | 37.5 | 55.0 | 67.4 | 21.5 | 25.0 | 17.7 | 30.7 | 13.0 | 19.9 | 22.7 | 10.3 | 15.6 | 21.6 | 12.2 | 14.1 | 15.9 | 23.8 | 21.7 | 18.7 |
| Lana`i | 10.0 | 23.3 | 22.5 | 22.2 | --- | 24.1 | --- | 31.5 | 16.1 | 12.1 | 4.1 | 1.0 | 4.4 | 3.2 | 1.1 | 1.0 | 6.2 | 3.0 | 0.0 |

... = Category not applicable. --- = Data not available. Excludes Tripler.

Includes revised 1992 Kapiolani data, revised 1993 Straub data, revised 1994 St. Francis-West Oahu data, revised 1996 Hale Malamalama data and revised 1996

Kaiser data, revised 1997 North Hawaii Community Hospital data, revised 1997 Wahiawa data and revised 1998 Hale Makua (Maui) data.

Source: SHPDA, June, 2001 - Table18d.WK1

Table 9. Occupancy Rates by County, 1982 - 2000 (Continued)

| | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
|----------------------|------|------|------|------|------|------|------|------|------|-------|-------|-------|------|-------|-------|------|------|------|------|
| CRITICAL CARE | | | | | | | | | | | | | | | | | | | |
| O`ahu | 80.0 | 73.5 | 63.6 | 61.1 | 63.6 | 69.4 | 83.4 | 86.5 | 70.7 | 70.0 | 71.0 | 76.2 | 68.9 | 67.9 | 64.9 | 69.6 | 71.5 | 71.8 | 77.9 |
| Hawai`i | 41.7 | 39.0 | 44.9 | 41.3 | 50.0 | 52.9 | 58.3 | 69.9 | 71.0 | 64.7 | 43.0 | 45.0 | 44.4 | 41.7 | 36.6 | 41.7 | 42.2 | 40.6 | 46.9 |
| Kaua`i | 36.0 | 28.0 | 29.5 | 33.4 | 30.0 | 35.8 | 46.0 | 44.0 | 38.8 | 36.0 | 35.0 | 36.0 | 38.7 | 39.2 | 43.7 | 38.5 | 48.6 | 41.6 | 41.2 |
| Maui | 62.3 | 63.8 | 51.9 | 52.9 | 27.8 | 67.1 | 60.7 | 66.2 | 68.5 | 70.5 | 74.2 | 78.7 | 80.8 | 84.0 | 83.1 | 77.7 | 51.1 | 61.7 | 63.7 |
| OBSTETRICS | | | | | | | | | | | | | | | | | | | |
| O`ahu | 76.8 | 81.4 | 80.7 | 75.2 | 68.4 | 84.4 | 81.9 | 58.4 | 77.7 | 67.3 | 68.0 | 63.0 | 57.7 | 44.8 | 47.6 | 45.3 | 55.8 | 54.2 | 51.4 |
| Hawai`i | 35.9 | 33.6 | 33.7 | 35.3 | 36.8 | 43.5 | 50.8 | 35.9 | 40.5 | 41.0 | 49.6 | 51.9 | 56.7 | 45.9 | 45.4 | 42.8 | 39.0 | 34.6 | 38.4 |
| Kaua`i | 46.0 | 46.3 | 38.5 | 37.9 | 37.5 | 37.7 | 49.6 | 50.4 | 55.7 | 67.6 | 40.7 | 41.1 | 39.8 | 40.9 | 37.8 | 51.7 | 55.7 | 35.9 | 50.1 |
| Tri-Isle | 27.9 | 30.0 | 32.3 | 27.6 | 26.1 | 26.1 | 27.3 | 30.4 | 35.7 | 32.5 | 32.5 | 28.8 | 25.4 | 27.9 | 29.5 | 32.7 | 25.0 | 26.0 | 27.4 |
| Maui | 32.5 | 34.1 | 39.0 | 33.6 | 33.3 | 35.2 | 34.2 | 36.7 | 43.9 | 40.0 | 40.5 | 37.3 | 32.7 | 34.6 | 34.9 | 39.2 | 28.6 | 29.8 | 31.4 |
| Moloka`i | 10.0 | 10.0 | 8.9 | 4.7 | ... | 10.2 | 6.1 | 8.2 | 7.4 | 6.4 | 4.8 | 5.1 | 5.3 | 4.3 | 5.0 | 3.9 | 4.5 | 4.1 | 4.3 |
| Lana`i | 1.0 | 5.0 | 6.3 | 9.9 | --- | 4.9 | --- | 5.8 | 0.8 | 1.4 | 0.0 | 0.3 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| PEDIATRICS | | | | | | | | | | | | | | | | | | | |
| O`ahu | 47.8 | 60.0 | 54.8 | 52.4 | 47.7 | 58.8 | 52.5 | 64.0 | 90.7 | 106.2 | 109.4 | 104.7 | 99.5 | 101.6 | 102.2 | 95.5 | 94.4 | 87.1 | 82.6 |
| Hawai`i | 16.7 | 19.0 | 14.2 | 14.4 | 31.3 | 27.2 | 24.5 | 39.6 | 34.5 | 31.0 | 26.4 | 18.5 | 20.0 | 20.0 | 13.1 | 15.3 | 20.8 | 15.4 | 16.4 |
| Kaua`i | 43.3 | 35.0 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tri-Isle | 35.5 | 31.4 | 76.2 | 70.7 | 80.0 | 68.5 | 86.5 | 57.9 | 64.9 | 52.4 | 41.7 | 46.6 | 29.8 | 36.6 | 35.1 | 55.6 | 0.0 | 0.0 | 0.0 |
| Maui | 40.5 | 35.0 | 76.2 | 70.7 | 80.0 | 68.5 | 86.5 | 57.9 | 64.9 | 52.4 | 41.7 | 46.6 | 29.8 | 36.6 | 35.1 | 55.6 | 0.0 | 0.0 | 0.0 |
| Moloka`i | 5.0 | 10.0 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| PSYCHIATRIC | | | | | | | | | | | | | | | | | | | |
| O`ahu | 90.5 | 78.3 | 78.9 | 62.1 | 75.1 | 85.5 | 87.9 | 78.6 | 80.8 | 69.4 | 71.9 | 71.5 | 76.3 | 67.8 | 66.2 | 63.9 | 44.0 | 47.6 | 48.8 |
| Hawai`i | 39.6 | 49.0 | 35.5 | 35.0 | 32.1 | 47.4 | 48.9 | 39.7 | 32.2 | 42.0 | 48.9 | 64.6 | 73.7 | 80.7 | 69.6 | 87.3 | 81.4 | 70.4 | 74.6 |
| Kaua`i | 36.7 | 45.6 | 48.0 | 49.2 | 44.4 | 48.1 | 49.4 | 59.1 | 46.9 | 31.6 | 26.9 | 32.5 | 26.2 | 21.1 | 19.3 | 33.5 | 32.6 | 33.2 | 37.9 |
| Maui | 22.4 | 22.1 | 41.3 | 39.1 | 50.0 | 49.4 | 55.3 | 57.8 | 47.3 | 58.7 | 70.9 | 84.3 | 78.0 | 62.6 | 98.4 | 92.5 | 50.8 | 55.2 | 61.8 |

... = Category not applicable. --- = Data not available. Excludes Tripler.

Includes revised 1992 Kapiolani data, revised 1993 Straub data, revised 1994 St. Francis-West Oahu data, revised 1996 Hale Malamalama data and revised 1996

Kaiser data, revised 1997 North Hawaii Community Hospital data, revised 1997 Wahiawa data and revised 1998 Hale Makua (Maui) data.

Source: SHPDA, June, 2001 - Table18d.WK1